

[Home](#) ■ [Produtos](#) ■ [Material Peneirado](#)

HUBER Flume de Canal HLC - Launder Channel



Feed system for screenings wash presses

- Wastewater or service water as flushing water
- Up to 30 m channel length
- High operating reliability, low maintenance requirements
- Customised solutions

The HUBER Launder Channel operates discontinuously in a batch mode or continuously. The screenings to be treated drop into the launder channel from one or several screens. Wastewater or service water is used to flush the screenings into the wash press. The flushing water serves also as wash water for screenings washing.

HUBER Launder Channels can be adjusted to suit customer-specific requirements. To ensure maximum operating reliability the launder channel control system can be designed to use redundant wash press systems and operate the individual units as needed via according valve control.

Benefícios

- Cost-effective, low maintenance solution

- High operational reliability
- Up to 30 m channel length
- Wastewater or service water as flushing water
- Stainless steel design for corrosion resistance

Downloads

 [Brochure: HUBER Launder Channel](#) [pdf, 480 KB]

Relatórios práticos

- [Conveyor technology made by HUBER SE: Indispensable and reliable](#)
- [A successful combination: Launder Channel plus Wash Press SL](#)

Media



Video: HUBER Launder Channel
HLC

<https://www.youtube.com/watch?v=g-aczj1GDtY>

Mais produtos: Material Peneirado

- [Compactador do Material Peneirado WAP®](#)
- [Compactador do Material Peneirado WAP® SL](#)
- [Compactador do Material Peneirado WAP® SL HP](#)
- [Screenings Wash Press WAP® L for Launder Channel Feeding](#)
- [Rosca Transportadora](#)
- [HUBER Compactador do Material Peneirado Ro7](#)
- [Sistema Integrado de Lavagem](#)

HUBER DO BRASIL SOLUÇÕES EM TRATAMENTO DE ÁGUA E EFLUENTES LTDA

Rua João Alvares Soares, 1447 - Campo Belo - São Paulo - CEP: 04609-003

Tel: 00 55 11- 2614-1610 FAX: 00 55 11 2614-1610 ext: 205 Internet: www.huber-technology.com.br
