

[Home](#) ■ [Soluções](#) ■ [Calor de Esgotos](#) ■ [Secagem do Lodo de Esgoto](#)

Sewage Sludge Drying with WP



Recovery of heat from clarified wastewater provides several advantages: Considerable heat potentials are available due to the huge water volumes, effluent cooling does not have negative effects on the receiving water, and sewage treatment plants often have a high demand for heat.


Our compact, self-cleaning [RoWin Heat Exchanger](#) is preferably installed as tank version in a depression in the effluent channel.

The recovered heat can for example be used to enhance sludge drying in our [Solar Dryer SRT](#).

Solar dryers use free solar energy. Sometimes, however, when there is not enough sun for seasonal or climate reasons, there is not sufficient solar energy available.

To reduce space requirements in such cases and/or ensure all-year-round drying, it is reasonable to use an additional regenerative heat source: wastewater heat!

[Conceito de Sistema](#)



Clique na imagem para obter uma visão detalhada e interativa com informações adicionais e links.

Processo

DESCRIÇÃO DE PROCESSO

A regenerative heat source can be the heat contained within wastewater. The temperature level of wastewater heat is rather moderate, but the heat is permanently available on each sewage treatment plant. We use a heat pump to raise the temperature up to a level that enables the reliable and efficient use of this thermal energy for low-temperature sludge drying.

The heat pump generates 4 to 6 kWh useful heat.

Relatórios práticos

- [Energy from wastewater - the HUBER RoWin Heat Exchanger is becoming increasingly popular](#)
- [Energy recovery from filtrate water on WWTPs](#)
- ["Tank version" of HUBER Heat Exchanger RoWin](#)

Produtos

- [Secagem Solar e Regenerativa HUBER SRT](#)
- [HUBER Screw Press Q-PRESS®](#)
- [HUBER Rosca Transportadora Ro8 / Ro8 T](#)
- [Trocador de Calor HUBER RoWin](#)

HUBER DO BRASIL SOLUÇÕES EM TRATAMENTO DE ÁGUA E EFLUENTES LTDA

Rua João Alvares Soares, 1447 - Campo Belo - São Paulo - CEP: 04609-003

Tel: 00 55 11- 2614-1610 FAX: 00 55 11 2614-1610 ext: 205 Internet: www.huber-technology.com.br
